

PRICELIST TRAILERS & ACCESSORIES 2023

Valid from 28 April 2023. All prices below exclusive VAT. Freight exkluded.

Part CRANE TRAILERS FOR A	Part.no. TV	Description	Price SEK
Forester Light	770-001	Forester chassis, 3,4 m standard crane, valve package 5+2 multistick, engine 6 hp Vanguard, no drive, no frame steering, 22x11-8 wheels	92 000
Forester Standard	770-002	Forester chassis, 3.4 m std crane, valve package 5+2 lever multistick (linear), engine 6 hp Vanguard, hydraulic drive, manually operated with two levers, hydraulic frame steering, radio controlled hydraulic winch, 22x11-8 wheels	151 000
Forester Plus multistick	770-003	Forester chassis, 4.2 m crane (0.8 m extension), valve package 6+2 lever multistick (linear), engine 6 hp Vanguard, hydraulic drive manually controlled with two levers, hydraulic frame steering, radio controlled hydraulic winch, 22x11-8 wheels	170 000
Forester Plus multistick, with automatic drive and electric start	770-004	Forester chassis, 4.2 m crane (0.8 m extension), valve package 6+2 lever multistick (linear), engine 6.5 hp Honda with electric start, hydraulic drive automatic with control buttons on the handlebars, hydraulic frame steering, radio controlled hydraulic winch, 22x11-8 wheels	184 000
Forester Plus 2-lever	770-005	Forester chassis, 4.2m crane with extension, valve package with 2-lever coordinate levers, engine 6 hp Vanguard, hydraulic drive, manually operated with two levers, hydraulic frame steering, radio controlled hydraulic winch, 22x11-8 wheels	173 000
Forester Plus 2-lever w automatic drive and electric start	770-006	Forester chassis, 4.2 m crane (0.8 m extension), valve package 2-lever coordinate levers, engine 6.5 hp Honda with electric start, hydraulic drive automatic with control buttons on the handlebar, hydraulic frame steering, radio controlled hydraulic winch, 22x11-8 wheels	187 000
Forester Pro multistick	770-007	Forester chassis, 4.2 m crane (0.8 m extension), valve package 6+2 multistick (linear), engine 6.5 hp Honda with electric start, hydraulic drive automatic with control buttons on the handlebars, hydraulic frame steering, radio controlled hydraulic winch, 22x11-8 wheels. LED working lamp set, pressure gauge, table for hydraulic unit, timber pincer, separate wire guide included.	198 000
Forester Pro 2-joystick electric on/off	770-008	Forester chassis, 4.2 m crane (0.8 m extension), valve package 2 joystick electric on/off, engine 6.5 hp Honda with electric start, hydraulic drive automatic with control buttons on the handlebars, hydraulic frame steering, radio controlled hydraulic winch, 22x11-8 wheels. LED working lamp set, pressure gauge, table for hydraulic unit, timber pincer, separate wire guide included.	202 000
Forester Complete multistick	770-009	Forester Pro (part no. 770-007), hydraulic tipping flatbed, lifting bucket, lifting beam	222 000
Forester Complete 2- joystick electric on/off	770-010	Forester Pro (part no.770-008), hydraulic tipping flatbed, lifting bucket, lifting beam	227 000

CRANE TRAILERS FOR A	тν		
Ranger Standard	771-011	Ranger chassis, 3.8 m std crane, valve package 5+2 lever multistick (linear), engine Vanguard 6 hp, hydraulic drive, controlled manually with two levers, electro-hydraulic frame steering, hydraulic movable bogie, radio controlled hydraulic winch, 300x65-12 wheels	195 000
Ranger Plus multistick	771-012	Ranger chassis, 4.8 m crane (1.0 m extension), valve package 6+2 lever multistick (linear), engine Honda 13 hp with electric start, hydraulic drive, automatic with control buttons on the handlebars (2-speed drive), electro-hydraulic frame steering, hydraulic movable bogie, radio controlled hydraulic winch, 300x65-12 wheel	235 000
Ranger Plus 2-lever	771-013	Ranger chassis, 4.8 m crane (1.0 m extension), valve package 2-lever coordinate levers, engine Honda 13 hp with electric start, hydraulic drive, automatic with control buttons on the handlebars (2-speed drive), electro-hydraulic frame steering, hydraulic movable bogie, radio controlled hydraulic winch, 300x65-12 wheels	239 000
Ranger Pro multistick	771-014	Ranger chassis, 4.8 m crane (1.0 m extension), valve package multistick 6+2 (linear), engine Honda 13 hp with electric start, automatic with control buttons on the handlebars (2-speed drive), electro-hydraulic frame steering, radio controlled hydraulic winch, 300x65-12 wheels. LED working lamp set, pressure gauge, table for hydraulic unit, timber pincer, separate wire guide included.	245 000
Ranger Pro 2-joystick electric on/off	771-015	Ranger chassis, 4.8 m crane (1.0 m extension), valve package 2-joystick electric on/off, engine Honda 13 hp with electric start, automatic with control buttons on the handlebars (2-speed drive), electro-hydraulic frame steering, radio controlled hydraulic winch, 300x65-12 wheels. LED working lamp set, pressure gauge, table for hydraulic unit, timber pincer, separate wire guide included.	249 000
Ranger Complete multistick	771-016	Ranger Pro (part no. 771-014), hydraulic tipping tray, lifting bucket, lifting beam	273 000
Ranger Complete 2-joystick electric on/off	771-017	Ranger Pro (part no. 771-015), hydraulic tipping tray, lifting bucket, lifting beam	277 000

CRANE TRAILERS FOR TRACTORS

Forester Tractor Light	770-118	Forester chassis, 3.4 m std crane, valve package 5+2 lever multistick (linear), no drive, no winch, no frame steering, 22x11-8 wheels	81 000
Forester Tractor Standard	770-119	Forester chassis, 3.4 m std crane, valve package 5+2 lever multistick (linear), hydraulic drive, hydraulic frame steering, radio controlled hydraulic winch, 22x11-8 wheels. Trailer drive, frame steering and winch are powered by the tractor hydraulics through a 3-sect electric controlled valve package (mounted on trailer). Electric remote control kit for drive and frame control included. The trailer drive and frame control etc. are operated through an instrument panel box connected to the valve on the trailer.	128 000
Forester Tractor Plus multistick	770-120	Forester chassis, 4.2 m crane (1.0 m extension), valve package 6+2 lever multistick (linear), hydraulic drive, hydraulic frame steering, radio controlled hydraulic winch, 22x11-8 wheels. Trailer drive, frame steering and winch are powered by the tractor hydraulics through a 3-sect electric controlled valve package (mounted on trailer). Electric remote control kit for drive and frame control included. The trailer drive and frame control etc. are operated through an instrument panel box connected to the valve on the trailer.	146 000
Forester Tractor Plus 2-lever	770-121	Forester chassis, 4.2 m crane (1.0 m extension), valve package 2-lever co-ordinate levers, hydraulic drive, hydraulic frame steering, radio controlled hydraulic winch, 22x11-8 wheels. Trailer drive, frame steering and winch are powered by the tractor hydraulics through a 3-sect electric controlled valve package (mounted on trailer). Electric remote control kit for drive and frame control included. The trailer drive and frame control etc. are operated through an instrument panel box connected to the valve on the trailer.	149 000
Forester Tractor Pro 2-joystick electric on/off	770-122	Forester chassis, 4.2 m crane (1.0 m extension), valve package 2-joystick electric on/off, hydraulic drive, hydraulic frame steering, radio controlled hydraulic winch, 22x11-8 wheels. Trailer drive, frame steering and winch are powered by the tractor hydraulics through a 3-sect electric controlled valve package (mounted on trailer). Electric remote control kit for drive and frame control included. The trailer drive and frame control etc. are operated through an instrument panel box connected to the valve on the trailer. LED working lamp set, timber pincer, separate wire guide included.	163 000
Ranger Tractor Plus multistick	771-124	Ranger chassis, 4.8 m crane (1.0 m extension). Valve package 6+2 lever multistick (linear), hydraulic drive, hydraulic frame steering, hydraulic movable bogie, radio controlled hydraulic winch, 300x65-12 wheels. Trailer drive, frame steering and winch are powered by the tractor hydraulics through a 3-sect electric controlled valve package (mounted on trailer). Electric remote control kit for drive, bogie and frame control included. The trailer drive and frame control etc. are operated through an instrument panel box connected to the valve on the trailer.	187 000
Ranger Tractor Plus 2-lever	771-125	Ranger chassis, 4.8 m crane (1.0 m extension). Valve package 2-lever co-ordinate levers, hydraulic drive, hydraulic frame steering, hydraulic movable bogie, radio controlled hydraulic winch, 300x65-12 wheels. Trailer drive, frame steering and winch are powered by the tractor hydraulics through a 3-sect electric controlled valve package (mounted on trailer). Electric remote control kit for drive, bogie and frame control included. The trailer drive and frame control etc. are operated through an instrument panel box connected to the valve on the trailer.	190 000
Ranger Tractor Pro 2-joystick electric on/off	771-126	Ranger chassis, 4.8 m crane (1.0 m extension). Valve package 2-joystick electric on/off, hydraulic drive, hydraulic frame steering, hydraulic movable bogie, radio controlled hydraulic winch, 300x65-12 wheels. Trailer drive, frame steering and winch are powered by the tractor hydraulics through a 3-sect electric controlled valve package (mounted on trailer). Electric remote control kit for drive, bogie and frame control included. The trailer drive and frame control etc. are operated through an instrument panel box connected to the valve on the trailer. LED working lamp set, timber pincer, separate wire guide included.	204 000

CRANE TRAILERS FOR TRACTORS

Taiga Light	780-017	Taiga chassis with frame steering (operated by the tractor hydraulics), 3.8 m crane, valve package multistick 6+2 (linear), no drive, no winch, 300x65-12 wheel 5 bolt.Valve package for frame steering is not included, order separately.	101 000
Taiga Standard multistick	780-018	Taiga chassis with frame steering, 3.8 m crane, valve package multistick 5+2 (linear). Available with 2-lever co-ordinate levers (+3000 sek). Hydraulic drive, radio controlled hydraulic winch, 300x65-12 wheels 5 bolts. Trailer drive, frame steering and winch are powered by the tractor hydraulics through a 3-sect electric controlled valve package (mounted on trailer). Electric remote control kit for drive and frame control included. The trailer drive and frame control etc. are operated through an instrument panel box connected to the valve on the trailer.	175 000
Taiga Plus multistick	780-010	Taiga chassis with frame steering, 4.8 m crane (1.0 m extension), valve package multistick 6+2 (linear). Available with 2-lever co-ordinate levers (+3000 sek). Hydraulic drive, radio controlled hydraulic winch, 300x65-12 wheels 5 bolts. Trailer drive, frame steering and winch are powered by the tractor hydraulics through a 3-sect electric controlled valve package (mounted on trailer). Electric remote control kit for drive and frame control included. The trailer drive and frame control etc. are operated through an instrument panel box connected to the valve on the trailer.	193 000
Taiga Pro 2-joystick electric on/off	780-011	Taiga chassis with frame steering, 4.8 m crane (1.0 m extension), valve package 2-joystick electric on/off. Hydraulic drive, radio controlled hydraulic winch, 300x65-12 wheels 5 bolts. Trailer drive, frame steering and winch are powered by the tractor hydraulics through a 3-sect electric controlled valve package (mounted on trailer). Electric remote control kit for drive and frame control included. The trailer drive and frame control etc. are operated through an instrument panel box connected to the valve on the trailer. LED working lamp set, timber pincer, separate wire guide included.	210 000

ACCESSORIES CRANE T	RAILERS		
Stake Forester	790-020	Extra stake for Forester (sold individually)	1 080
Stake Ranger	790-021	Extra stakes for Ranger (sold individually)	1 180
Stake Taiga	740-031	Extra stake till Taiga (sold individually)	1 240
Sorting stake Taiga	740-032	Sorteringsstake for Taiga. Can also be used as stake extension when transporting twigs and branches. Extend 25 cm.	540
Bogie bunk Taiga	740-023	Telescoping stake holder for mounting on Taigas center chassis.	1 700
Taiga tow bar 52	740-038	Long tow bar for Taiga, for use with standard tractor, ca 115cm. Ca. 25 cm longer than standard tow bar. Hitch ring 52mm. Price for upgrade.	1 040
Long Stakes R/F	790-022	Long stake set for energy wood/spruce loading. Suitable for both Ranger and Forester (6 pcs)	7 000
Working lamps	790-023	Working LED lamps 2 x 48 W. Complete w cables, controlbox, 2 buttons. Complete set for retro fitting.	3 090
Pressure gauge	790-024	Pressure gauge shows all pressures of the crane function. Drive and lifting power as well as possible leaks. Loose for retrofitting.	670
Table for hydraulic unit	790-001	Avestavagnen hydraulic unit table, adjustable height for easy mounting on and off ATVs.	2 780
Table for hydraulic unit XL	790-074	Avestavagnen hydraulic unit table, adjustable height for easy mounting on and off larger ATVs and UTVs, i.e. Polaris 1000	3 300
Timber pincer	790-025	Avestavagnen timber pincer. 10 mm high strength steel, grip 40 cm.	1 490
Teethed timber shears	790-090	Avestavagnen teethed timber shears. 10 mm high strength steel, grip 40 cm.	1 490
Separate wire guide	790-026	Complete separate wire guide with hook chain, functions as extra winch cable guide.	930
Grapple bucket	790-027	Grapple bucket 60 liters. Black powder coated steel.	10 800
Energy wood head 105E	790-028	Energy wood head 105mm, complete with tool holder 39.5 mm. Recommended for Ranger, Ranger Tractor and Taiga.	31 000
Crane grapple head Dalagripen	790-029	Crane grapple head from Dalagripen DG08 red	6 200
Avesta Energy Wood Grapple	740-106	Avesta Energy Wood Grapple AVE08, attachment 39,5 mm	9 900
Brush grapple head Dalagripen	790-030	Brush grapple head from Dalagripen DGR14 red, suitable for handling brush, energy wood and spruce load.	11 100

ACCESSORIES CRANE T	RAILERS		
Insert body	790-031	Insert body in Aluzink for handling of branches and light weight wood. Fits Ranger, Forester and other crane trailers. Divisable long stakes for this insert body needs to be purchased separately (see 790-032).	13 400
Divisable long stakes for insert tray	790-032	Divisable long stake set for energy wood insert tray. Enables quick changes between insert tray and standard stakes.	6 200
Extension kit throttle Honda	790-033	Extension kit throttle Honda. Included in trailers packages that have engines with electric start. Fits both Forester och Ranger.	570
Extension kit throttle Vanguard	790-034	Extension kit throttle Vanguard 13,5 hp. Included in trailers packages that have engines with electric start. Fits both Forester och Ranger.	570
Support wheel quick lock, Forester (no frame steering)	790-035	Support leg with quick lock for 80 mm tow bar. Fits Forester without frame steering.	1 040
Support wheel quick lock Forester/Woodman	790-036	Support wheel with quick lock, fits Woodman and Forester with frame steering.	1 040
Support wheel quick lock Ranger	790-037	Support wheel with quick lock, fits Ranger.	1 130
Hydraulic tipping flat bed Forester	790-038	Hydraulic tipping flat bed Forester, only installation on trailers with winch. Dimensions 2x1,2 m.	26 800
Hydraulic tipping flat bed Ranger	790-040	Hydraulic tipping flat bed Ranger, only installation on trailers with winch. Dimensions 2,6x1,25 m.	28 800
Protection plate flatbed Forester	790-077	Protection plate in Aluzink 1,5 mm, adapted for tipping flatbed Forester.	1 650
Protection plate flatbed Ranger	790-078	Protection plate in Aluzink 1,5 mm, adapted for tipping flatbed Ranger.	1 850
Lifting beam	790-042	Lifting beam for easy lifting and installation of tipping flatbed.	1 550
Can holder	790-043	Can holder for a 5 liter fuel can. To be installed on trailer gate. Electro galvanized.	570
Storage box	790-085	Storage box to be fitted on the gate. Perfect storage for tools, combi can etc. Fits Forester, Ranger and Taiga. Chainsaw holder (790-086) sold separately, room for up to three per storage box.	1 550
Chainsaw holder	790-086	Chainsaw holder with plastic insert, to be mounted on the storage box (790-085). Each box fits up to three holders.	260
Gate mount bracket	701-338	Gate mount bracket for Taiga and Woodman. Mounting screws included.	100
Holder timber pincer	701-308	Timber pincer holder that is mounted on the outside of the storage box. Mounting screws included.	155
Tool holder	740-111	Tool holder that is mounted inside the storage box. Space for a chainsaw file (with extra protection), sledgehammer, other tools etc. Mounting screws included	155
Quick coupling set grip head/lifting bucket	790-044	Quick coupling set for easy change between grip head and lifting bucket.	1 040
Grip head holder Ranger	790-007	Grip head holder for Ranger. Holds grip head during transport. Electro galvanized.	2 270
Single stud set 22x11-8	790-080	Single stud set for 22x11-8 wheels, Forester, Woodman, Utility trailer, Tipping L. 38 studs/wheel and 152 studs/trailer.	1 390
Double stud set 22x11-8	790-081	Double stud set for 22x11-8 wheels, Forester, Woodman, Utility trailer, Tipping L. 76 studs/wheel and 304 studs/trailer.	2 730
Single stud set 300x65-12	790-082	Single stud set for 300x65-12 däck, Ranger, Taiga, HD Utility trailer. 54 studs/wheel and 216 studs/trailer.	1 930
Double stud set 300x65-13	790-083	Single stud set for 300x65-12 däck, Ranger, Taiga, HD Utility trailer. 108 studs/wheel and 432 studs/trailer.	3 700

TRAILERS			
Woodman Standard	780-001	Woodman standard for manual load, all-terrain wheels 22x11-8.	20 600
Woodman Manual Crane	780-002	Woodman Manual Crane, manual swing crane, all-terrain wheels 22x11-8.	26 800
Woodman Pro	780-003	Woodman Pro, manual swing crane, Warn radio controlled electric winch, 4 stakes, 6 holders, battery with battery shelf, timber pincher, separate wire guide, load tilter, charging cable from ATV, all-terrain wheels 22x11-8.	39 100
Utility Trailer, terrain	760-004	Trailer with dumper bed, all-terrain wheels 22x11-8	28 300
Utility Trailer, grass	760-005	Trailer with dumber bed, large grass wheels 23x10,5-12	28 300
Heavy Duty Utility trailer, terrain	760-006	Large trailer with dumper bed, large all-terrain wheels 300x65-12	33 000
Combi Trailer, terrain	760-007	Combined timber and flatbed trailer, all-terrain wheels 22x11-8	26 800
Combi Trailer, grass	760-008	Combined timber and flatbed trailer, large grass wheels 23x10,5-12	26 800
Tipping trailer XS, grass	760-009	XS trailer with tipping flatbed, 150x100x25 cm, small grass wheels 20x10-8	12 400
Tipping trailer XS, terrain	760-010	XS trailer with tipping flatbed, 150x100x25 cm, all-terrain wheels 22x11-8	13 400
Tipping trailer S, grass	760-011	S trailer with tipping flatbed, 200x120x30 cm, large grass wheels 23x10,5-12	13 900
Tipping trailer S, terrain	760-012	S trailer with tipping flatbed, 200x120x30 cm, all-terrain wheels 22x11-8	14 900
Tipping trailer M, grass	760-013	M trailer with bogie, tipping flatbed, 200x120x30 cm, small grass wheels 20x10-8	25 800
Tipping trailer M, terrain	760-014	M trailer with bogie, tipping flatbed, 200x120x30 cm, all-terrain wheels 22x11-8	27 800
Tipping trailer L, hydraulic tipping, grass	760-015	L trailer with bogie, flatbed with hydraulic tipping function 200x120x30 cm, large grass wheels 23x10,5-12	46 400
Tipping trailer L, hydraulic tipping, terrain	760-016	L trailer with bogie, flatbed with hydraulic tipping function 200x120x30 cm, all-terrain wheels 22x11-8	46 400

ACCESSORIES TRAILERS	5		
Warn ATV winch VRX 25	790-045	Radio controlled electric winch. Capacity 1134 kg. Radio control with remote control radio unit purchased separately (790-073)	4 200
WarnWireless remote control radio unit	790-073	Warn Wireless ATV 12-24V. Remote control radio unit for Warn ATV winch (790-045)	2 800
Manual Safety Winch	790-046	Safety winch from AL-KO, 901A Op 900kg (winch wire not included) Automatic load brake. Max. traction force on the lower wire layer: Vertical load: 900 kg / towing a non-rolling load: 1,500 kg	3 100
Winch Cable	790-089	Winch cable 10 m, 6 mm \emptyset . Complete with hook. Fits manual safety winch from AL-KO and other manual winches.	520
Wire guide pole	790-047	Wire guide pole (for trailer mount) for use with ATV winch, fits Combi trailer (with holder bracket 790-048), Utility trailer and HD Utility trailer	1 340
Holder bracket for winch pole or wire guide pole	790-048	Holder bracket for winch pole or wire guide pole for Combi trailer, mounted on towbar	1 750
Winch pole bracket	790-049	Winch pole bracket for winch mount, fits Combi trailer, Utility trailer and HD Utility trailer.	930
Tail gate full height Utility trailer	790-050	Tail gate full height Utility trailer.	3 000
Tail gate full height HD Utility trailer	790-051	Tail gate full height HD Utility trailer	3 100
ATV ramp, LS 150 v (2 pcs)	790-052	Drive-up ramps for Utility trailers, HD Utility trailers and Combi trailers, for example ATVs onto flatbeds	3 600
ATV ramp, LS 200 v (2 pcs)	790-053	Drive-up ramps for Utility trailers, HD Utility trailers and Combi trailers, for example ATVs onto flatbeds	4 120
Separator/extra floor Utility trailer	790-055	Cover/lid in 3/5 aluminium as floor or separator in Utility trailer	2 990
Load tilter Woodman	790-056	Load tilter for easy loading of timber	520
Extra stake Woodman lower part	740-008	Extra stake 1 pc for Woodman, lower part	620
Extra stake Woodman upper part	740-100	Extra stake 1 pc for Woodman, upper part with chain	420
Extra bunk Woodman	740-003	Extra bunk for Woodman, with fitting holes for two stakes	1 800
Timber pincer	790-025	Avestavagnen timber pincer. 10 mm high strength steel, grip 40 cm.	1 490
Separate wire guide	790-026	Complete separate wire guide with hook chain, functions as extra winch cable guide.	930
Support wheel quick lock Forester/Woodman	790-036	Support wheel with quick lock, fits Woodman and Forester with frame steering.	1 040

ACCESSORIES TRAILERS			
Telescopic support leg	790-059	As a spare part or an additional telescopic support leg for Woodman. One support leg is included in Woodman Manual Crane and Woodman Pro	1 750
Woodman swing crane and support leg	790-060	Manual swing crane for Woodman. Can be retrofitted to TB1200, TB1300 and Woodman and other trailers. One support leg is included.	6 180
Dumper bed with wire tip function	790-061	Dumper bed for Woodman, fits ATVs with rear mount wire winch.	18 500
Insert body	790-062	Insert body in aluminum, fits Woodman and other trailers.(similar to Utility trailer insert)	13 400
Extension sides Tipping trailer XS	790-063	Extension sides Tipping Trailer XS, L150 W100 H60. Half top hinged tailgate.	4 120
Extention sides Tipping trailer S, M and L	790-064	Extension sides Tipping Trailer S, M,L. L200 B120 H60. Full top hinged tailgate.	5 200
Bottom hinged tailgate Tipping trailer S, M, L	790-065	Extra bottom hinged tailgate for Tipping Trailer S, M and L	1 750
Åkerström radio unit complete	790-066	Radio control with wireless remote control for Tipping trailer L.	4 330
Support wheel with quick lock, Tipping trailer XS	790-067	Support wheel with quick lock for 50 mm towbar. Fits Tipping trailer XS.	1 040
Support wheel with quick lock, Tipping trailer S,M,L, Utility, Combi	790-068	Support wheel with quick lock for 60 mm towbar. Fits Tipping Trailer S, M and L, Utility Trailer, HD Utility Trailer and Combi trailer.	1 040
Battery shelf universal	790-069	Battery shelf universal,	820
Battery	790-070	Battery 45Ah (90% discharge capacity)	1 440
GUK-key	790-071	Avestavagnen GUK-key	160

ATV STABILIZER FOR REAR END SUSPENSION

Polaris 400	790-008	Stabilizer Polaris 400	3 600
Polaris 800	790-009	Stabilizer Polaris 800	3 600
Polaris XP	790-010	Stabilizer Polaris XP	3 600
Polaris 570	790-011	Stabilizer Polaris 570 year model 2017 and forward	3 600
Polaris XPS	790-005	Stabilizer Polaris XPS	3 600
Arctic Cat	790-012	Stabilizer Arctic Cat	3 600
Goes/CF Allroad	790-013	Stabilizer Goes/CF Allroad	3 600
Can Am	790-014	Can Am short pull bar	520
Can Am	790-015	Can Am set of two brackets for fitting Universal-stabilizer models to Can Am.	420
Tow ball D=50	790-016	Standard tow ball, threaded with nut. Diameter 50 mm	195
Universal	790-017	Stabilizer Universal 300-440mm (cc distance between top and bottom attachment points on the ATV)	2 580
Universal XL	790-018	Stabilizer Universal XL, extra long, 400-540mm (cc distance between top and bottom attachment points on the ATV)	2 580
Universal moved out	790-019	Stabilizer Universal, moved out 20mm, 300-440mm (cc distance between top and bottom attachment points on the ATV) fits larger suspensions.	2 580